

THAT WHICH IS CLAIMED IS:

1. A communications system comprising:
a plurality of account databases each for
storing information associated with different accounts;
a central database for storing location
information associating each account with a respective
account database;

at least one communications device for
accessing account information; and
an interface device for

receiving an account access request from
said at least one communications device for a
desired account,

retrieving account location information
from said central database for the desired
account, and interfacing said at least one
communications device with said respective
account database associated with the desired
account based thereon, and

caching the account location information
and using the cached account location
information for subsequently interfacing said
at least one communications device with said
respective account database.

2. The communications system of Claim 1
wherein said interface device comprises a caching
module for caching the account location information.

3. The communications system of Claim 1
wherein said at least one communications device has an
operating protocol associated therewith, and wherein
said interface device comprises at least one protocol

interface module for communicating with said at least one communications device using the operating protocol.

4. The communications system of Claim 3 wherein said at least one protocol interface module comprises at least one of a wireless access protocol (WAP) module, a post office protocol (POP) module, and a hypertext markup language (HTML) module.

5. The communications system of Claim 3 wherein said interface device further comprises a control module for interfacing said at least one protocol interface module with said central and account databases.

6. The communications system of Claim 1 wherein said central database further stores shared system setup information; and wherein said interface device also retrieves and caches the shared system setup information for use in interfacing said at least one communications device with said respective account database.

7. The communications system of Claim 1 wherein said at least one communications device comprises at least one mobile wireless communications device.

8. The communications system of Claim 1 wherein the accounts comprise electronic mail (e-mail) accounts.

9. An interface device for interfacing at least one communications device with a plurality of

account databases each for storing information associated with different accounts, the interface device comprising:

a control module for receiving an account access request from the at least one communications device for a desired account, retrieving account location information associating the desired account with a respective account database from a central database, and interfacing the at least one communications device with the respective account database associated with the desired account based thereon; and

a caching module coupled to said control module for caching the account location information, said controller using the cached account location information for subsequently interfacing the at least one communications device with the respective account database.

10. The interface device of Claim 9 wherein the at least one communications device has an operating protocol associated therewith; and further comprising at least one protocol interface module using the operating protocol for interfacing said control module with the at least one communications device.

11. The interface device of Claim 10 wherein said at least one protocol interface module comprises at least one of a wireless access protocol (WAP) module, a post office protocol (POP) module, and a hypertext markup language (HTML) module.

12. The interface device of Claim 9 wherein the central database further stores shared system setup

information; wherein said control module also retrieves the shared system setup information for use in interfacing the at least one communications device with the respective account database, and wherein said caching module caches the retrieved shared system setup information.

13. The interface device of Claim 9 wherein the accounts comprise electronic mail (e-mail) accounts.

14. A method for interfacing at least one communications device with a plurality of account databases each for storing information associated with different accounts, the method comprising:

receiving an account access request from the at least one communications device for a desired account;

retrieving account location information associating the desired account with a respective account database from a central database;

interfacing the at least one communications device with the respective account database associated with the desired account based upon the retrieved account location information; and

caching the account location information and using the cached account location information for subsequently interfacing the at least one communications device with the respective account database.

15. The method of Claim 14 wherein retrieving further comprises retrieving shared system setup information from the central database, wherein

interfacing comprises interfacing the at least one communications device with the respective account database also based upon the retrieved shared system setup information, and wherein caching further comprises caching the retrieved shared system setup information also for use in subsequently interfacing the at least one communications device with the respective account database.

16. The method of Claim 14 wherein the accounts comprise electronic mail (e-mail) accounts.

17. A computer-readable medium having computer-executable instructions for interfacing at least one communications device with a plurality of account databases each for storing information associated with different accounts, the computer-readable medium comprising:

a control module for receiving an account access request from the at least one communications device for a desired account, retrieving account location information associating the desired account with a respective account database from a central database, and interfacing the at least one communications device with the respective account database associated with the desired account based thereon; and

a caching module for caching the account location information, said control module using the cached account location information for subsequently interfacing the at least one communications device with the respective account database.

18. The computer-readable medium of Claim 17 wherein the at least one communications device has an operating protocol associated therewith; and further comprising at least one protocol interface module using the operating protocol for interfacing said control module with the at least one communications device.

19. The computer-readable medium of Claim 18 wherein said at least one protocol interface module comprises at least one of a wireless access protocol (WAP) module, a post office protocol (POP) module, and a hypertext markup language (HTML) module.

20. The computer-readable medium of Claim 17 wherein the central database further stores shared system setup information; wherein said control module also retrieves the shared system setup information for use in interfacing the at least one communications device with the respective account database, and wherein said caching module caches the retrieved shared system setup information.

21. The computer-readable medium of Claim 17 wherein the accounts comprise electronic mail (e-mail) accounts.